





MAXUS COMMERCIAL LINE-UP **Best Solution for Your Business**

























INDEX

MOTORS GATE COMPANY BRIEF		
MGC NETWORK		
SAIC MOTORS COMPANY		
SAIC MOTORS COMPANY BRIEF		
HISTORY OF SAIC MOTORS COMPANY	ſ	
INTERNATIONAL QUALITY FROM GLO	DBAL SUPLAIERS	
PRODUCT LINE-UP		
MAXUS TORNADO 60 PICK-UP		
MAXUS MPV - VAN MAXUS GIO		
MAXUS V90 MINIBUS		
MAXUS V80 CARGO VAN		
MAXUS V80 MINIBUS		
MAXUS V80 SERIES OF SPECIAL PURPO		
MAXUS V80 AMBULANCE		
MAXUS V80 POLICE		
MAXUS V80 POLICE CARRIER		
MAXUS V80 SCHOOL BUS		
AFTER SALES SERVICE & WARRANTY		





MOTORS GATE COMPANY BRIEF





Who We Are:

We are investment and capital venture business group with over 40 years rich experience in automobile industry and Other business Sector operation in Kingdom of Saudi Arabia and Region

VISION:

We seek to establish the highest standards of service and support for all our customers through innovation and application of solutions and systems that exceed their expectations to establish the highest level of satisfaction and belonging through the application of an integrated work system implemented by a team of trained professionals with high professional skills with international standards Motors Gate Company, agent of MAXUS Motors in the Kingdom of Saudi Arabia, is a subsidiary of the Babgi Trading Company, which has rich and long experience in the world of vehicle sales and maintenance that lasted successfully for more than 40 years.


Motors Gate Company is committed to providing all its customers and partners with a unique and professional experience of dealing in pursuit and commitment towards achieving its vision and mission

MISSION:

Satisfying our customers with comprehensive, innovative and competitive solutions with high added value.

MGC NETWORK









SAIC MOTORS COMPANY

SAIC MOTOR (Vehicle Brand Family)



Global Partnerships With Strong Brands







TITechAuto






SAIC MOTORS COMPANY BRIEF

International Sales Network







-SAIC Maxus Motors Limited is a wholly owned subsidiary of SAIC Motors Limited.

Countries

- -SAIC Motors is the largest automobile manufacturer in China. In 2020, it achieved a car sales volume of 6.5 million vehicles, with an annual growth of 9.95%.
- -SAIC Motors has been established since 1955, and Maxus was established separately in 2011.

810+

centers around the world


and export offices

 λ





HISTORY OF SAIC MOTORS COMPANY







INTERNATIONAL QUALITY FROM GLOBAL SUPLAIERS















































PRODUCT LINE-UP





بوابة العربات معالم المعالم ا

PRODUCT LINE-UP

PICK-UP



TORNADO ED

MPV-VAN



GIO

MINIBUS & VAN







VBD Bus

V80 SERIES OF SPECIAL PURPOSE VEHICEL







VBD POLICE CARRIER



VBD POLICE



VBD AMBULANCE





DIMENSION & EXTERIOR















Babوپنابقي

PERFORMANCE



Max.Torque: 330 N.M

Hors Power: 214 HP

Hors Power: 147 HP




INTERIOR



A Perfect Combination of **Control and Comfort**

6 Auto / Manual Transmission



Multi-functional Seat

Auto AC

10-inch Touch Screen Supports Apple CarPlay



بوابة العربات معالم المعالم ا

•

Fabric

•

•

7inch

Dark Grey

Leather

•

(6)Speakers

10inch

Dark Grey Dark Grey


Fabric

7inch

SAFETY



6 Airbags



Electronic Stability Program (ESP)



Rear Camera & Sensor

SPECEFICATIONS

	Maxu	s T60	Maxu	ıs T60	Maxus T60			Exterior
	Petrol D	ouble Cab	Diesel De	ouble Cab	Diesel Double Cab	Inner Rope Hook	•	•
	2WD	4WD	2WD	4WD	4WD	Body Color Front and Rear Bumper	•	•
	EI	ite	Con	nfort	Luxury	Halogen Headlights with Rear Fog Lamps	•	•
	D	imension	-		-	Front LED Lamp & Front Fog Lamp	-	-
Length*Width*Height (mm)			5365*1900 *	1809		Rear Window Defroster	•	•
Wheelbase (mm)			3155			Cargo Bed Fender	•	•
F/R Wheel Tread(mm)			1580			Side Step	•	•
Front Overhang			942			Aluminum Wheel hub	•	•
Rear Overhang			1268					Interior
Cargo Bed (mm)			1485*1510*	530		AC	•	•
Minimum Ground Clearance(mm)			215			()A/our Adioses No Manual Daiose Cost	_	_
Tire Size	245/70R16HT	245/70R16AT	245/7	'0 R I 6	245/65R 17AT	6 Ways Adjustable Manual Driver Seat	•	•
Front Suspension			Double Wish	bone		4 Ways Adjustable Manual Co-Driver Seat	•	
Rear Suspension			Leaf Sprin	g				
	Po	wer Train				Interior Color	Dark Grey	Dark Gre
Engine Model	2	0T	2.	8T	2.8T	_		
Engine Power	160	KW	110	KW	110 KW	Seats	Fabric	Fabric
Engine Torque	330	N.m	360	N.m	360N.m	Central Lock+4 Power Windows	•	•
Transmission	6/	AT	16	1T	6AT	MP5+USB +raido+bluetooth	•	•
	·	Weight				Radio+MP3+USB	-	-
GVW			3050KG	i		Front 12V Power supply	•	•
Curb Weight	1880KG	1970KG	1880KG	1970KG	1970KG	Remote Key	•	
		Security				Second row A/C vent	•	•
Indoor Handgrip	•	•	•	•	•	Speakers	(4)Speakers	(4)Speakers
Isofix	•	•	•	•	•	speakers	(тубрешкего	(//openiers
ABS/EBD	•	•	•	•	•	Two directions Adjustable Steering Wheel	•	/ •
ESP+EBA	•	•	•	•	•	Curise Control	/ •	
Front Double Airbags	•	•	•	•	•	Multi-function Steering	· /	•
Driver-seatbelt Reminder	•	•	•	•	•	Auto Rear Mirror		•
All 3 point seat belt	•	•	•	•	•	7/10 inch Touch Screen	7inch	7inch
Immobilizer	•	•	•	•	•		/incn	
TPMS	•	•	•	•	•	Rear Proximity Sensor		•
Reverse Camera	•	•	_	_	•	Tough Start Engine Button Note: "●" is standard configure	•	·/_

Note: "●" is standard configuration;/is none; "-" is optional

DISCLAIMERS *The mentioned information, specifications, prices and colors on this page may vary and subject to change without notice. Please contact customer service or visit your nearest showroom for availability and prices.





COMBINING ADVANTAGE OF FORTUNE 500 SUPPLIERS



Body Color



Agate Red

Ocean Blue

Obsidian Black

Lava Grav

Aurora Silver

Blanc White

MAXUS —

Integrating Advantages of Fortune 500 Suppliers

As a global Fortune 500 company, SAIC Motor, the largest automaker in China, has achieved strategic cooperation with world-renowned auto parts companies. Taking advantage of global resources, whole vehicle of SAIC MAXUS pickup features key components from world famous spare parts suppliers, with trustworthy quality and outstanding performance.

Seat

Yanfeng Johnson Controls (Sino-US joint venture) GM, Volkswagen

6 Rear Axle

venture)

GM

2 Turbo

Honeywell (USA) Mercedes-Benz, BMW

O ABS & EPS, Airbag

Bridge Capital (Sino-US joint Bosch (Sino-German joint venture) Cadillac, Audi

 Exhaust **Catalytic Package**

NGK (Japan) Volkswagen, GM Headlamp

Philips (the Netherlands)

Cadillac, Mercedes-Benz

Bcm/Gateway

Assembly

joint venture)

GM, Ford

United Electronics (Sino-German

® Shock Absorber © Starter, Generator

Sikes (Sino-German joint venture) Volkswagen, Audi

1 6MT

Dymos (South Korea) Hyundai

Drive System BorgWarner (USA)

Volvo XC90

Four-wheel

4 Differential Lock

Mercedes-Benz, BMW

Eaton (USA) Jeep Wrangler

SANDEN-BEHR (China-Ja-Volkswagen, GM

6AT

Air Conditioning Wire Harness Delphi (Sino-US joint venture)

pan-German joint venture)

@ Tire

Dunlop (Japan) BMW, Infiniti

6 Swing Arm **Ball Stud** Valeo (Chinese-French joint venture)

Bunge (France)

Cadillac, BMW

ZF (Sino-German joint venture) Volkswagen, GM

GM. Ford

© Steering Column, **Steering Gear**

> Mando (South Korea) GM, Hyundai


© Clutch assembly Schaeffler (Germany)





DIMENSION & SEAT LAYOUT





5168 cm



The seat of the third row can be flipped to the side



7 seat seating cabin design



9 seat seating cabin design





PERFORMANCE



ZF 6 speak automated manual gearbox



2.0T turbo charged direct inject engine





Max.Torque: 350 NM

SAFETY



Integrated body, layer build double layer welding technology, making passive safety stronger

Latest generation of Bosch ESP9.I electronic stabilization assistance system to provide full control on safety



SPECEFICATIONS

GIO M			
Vehicle Model		ndard	
2.0T 6A			
Basic Para			
Seats	7seater	9seater	
Length*Width*Height mm	5168 x I	928 x 1980	
Wheelbase mm	\ ///	200	
Power T			
Engine Code		0L4E	
Engine Type	2.	0TGI	
Transmission	(SAT	
Max. Power Kw		165	
Max. Torque Nm		345	
Max. Speed Km/h		190	
Combined Consumption		10.3	
Chassis Sy	stem		
Front Suspension	Mac	pherson	
Rear Suspension	5-link S	piral Spring	
Steering System	Hydraulic Power Assisted		
Brake System	Discs Fr	ont & Rear	
Exterio	or		
Headlight—Lens	•	•	
LED High-mounted Stop Light	•	•	
Driver Windows One touch Auto Up/Down	_		
Function with Jam-protection	•	•	
Single Sliding Door	•	•	
16-inch Alloy wheels	•	•	
16-inch Steel wheels	-	-	
Interio	r	_	
Beige Interior	•	•	
Gray Interior	-	-	
Central Console	•	•	
Dual Cup Holder on Instrument Panel	•	•	
Rear Storage Compartment and Cup Holders	•	•	
Seat Materia—Premium Woven	•	•	
6-way adjustment Driver Seat	•	•	
All Slide Seats	•	•	
Front Reading Light	•	•	
Coat Hooks	•	•	
Seating Arrangement	2+2+3	2+2+2+	

Safety Equipment					
High-strength Unibody	•	•			
Telescopic Steering Column	•	•			
ABS+EBD	•	•			
Driver Airbag	•	•			
3-point Seatbelts for All Seats	•	•			
ISOFIX Child Seat Interface	•	•			
Auto latch	•	•			
Engine Immobiliser	•	•			
Rear Windows Defroster	•	•			
Rear Wiper	•	•			
Technology E	quipment				
CANBUS System	•	•			
Central Lock	•	•			
Parking Sensors	•	•			
Manual A/C	•	•			
Rear A/C Independent Vent	•	•			
Entertainmen	it System				
Radio+MP3+AUX	•	•			
6 Speakers	•	•			

Note: "●" is standard configuration;/is none; "-" is optional

DISCLAIMERS *The mentioned information, specifications, prices and colors on this page may vary and subject to change without notice. Please contact customer service or visit your nearest showroom for availability and prices.

Body Color














GIO – Combining Advantage of Fortune 500 Suppliers







MAXUS MINIBUS & VAN



بوابة العربات MOTORS GATE

DIMENTION & SEAT LAYOUT

Vehicle Seat Layout



16 seats (3+3+3+3+4)

Vehicle Dimensions






PERFORMANCE



Engine: 2.0 Turbo Diesel Direct Injection

Torque: 375 NM

Ultra lowest fuel consumption: 7.6 L/100km





 \sim 29






EXTERIOR



Single sliding door





INTERIOR



More Hi-Tech, Efficient and Safer



10. 1-inch HD Smart Touch Screen
+
4.2-inch LCD Instrument




More Comfortable, Enjoy Prosperity
Comfortable seats with rear
air conditioning units for passengers




SAFTEY







Rear Overhead Camera Reverse Image





High Payload, More Loading Rear-drive Dual Tires Optional; Maximum Load 2T

SPECEFICATIONS

	Vehicle Model	V90 L3H2 Bus	V90 L3H3 Bus
	Number of Seats	15/16	15/16
Engine	Model	D2.0L Turbo Diesel Direct Injection	D2.0L Turbo Diesel Direct Injection
Engine	Rated Power(kW)	110	110
	Max.Torque(N.m)	375	375
Dimension:L*W*F	H(mm)	LWB: 5940×2062×2520	LWB: 5940×2062×2740
wheelbase		3760	3760
Gearbox		6MT	6MT
Max.Speed (km/h	1)	145	145
Fuel Tank Capacit	ty (L)	80	80
Brake System		Front/Rear Disc Brake	Front/Rear Disc Brake
Suspension		Front Independence Suspension/Rear In-Indep/Suspension(3 Spring)	Front Independence Suspension/Rear In- Indep/Suspension(3 Spring)
Tire		235/65R16C	235/65R16C
	Sa	fety Configuration	
ntelligent Anti-the	eft Security System(IMMO)	•	•
ESP+EBA+HHC		•	•
Rear Proximity Se	nsor	•	•
front fog lights		•	•
Rear fog lights		•	•
Driver Seat Airba	gs + Pretightening Belt	•	•
ront Passenger A	Airbags + Pretightening Belt	•	•
	Delet Liberte di Alberte		
Driver Seat Safety	Beit Untied Alarm		•

	Exterior and Interior	
ingle sliding door	•	•
de Door Windows	•	•
Section Sliding Flush Windows	•	•
C Column Side Windows	•	•
Section Sliding Flush Windows	•	•
vheel	Alloy/Steel	Alloy/Steel
rystal-diamond Headlights	-	-
D Position Lamp	•	•
de Windows Glass	•	•
ear Door Glass	•	•
Ion-Automatic Front Wiper(No Bone)	•	•
alogen Headlight	•	•
Vith LED Rear Lamp With LED Rear Lamp	•	•
	Comfort and Convenience	
ir conditioning	Manual Front & Rear A/C	Manual Front & Rear A/C
0 Inch(MP5+USB+Blue+Mobi)	•	
eated Rear Windows	•	
direction Adjustable Driver's Seat	•	• /
lectric Front Windows	•	• \
automatic Off Headlights	•	•/\\.
automatic Locking	•	
auto Latch (20km/h)	•	/• / \
oldable Remote-Control Key(1 Piece)	• /	/\
Central Lock	• /	// \ //• \ \
hite color	•	/
Vith Driving Model(Power/Normal/Eco)	9	•
Vith Engine Start/Stop	/•/ \	-
lectric Heating Outside Rearview Mirror (Nature Color)	///• \	•
eat Fabric(Knit/Gray)	/ / • \ /	/ \ • /
80° Opening Angle(With Limited Gemel)		/ \ . //

Note: "●" is standard configuration;/is none; "-" is optional

DISCLAIMERS *The mentioned information, specifications, prices and colors on this page may vary and subject to change without notice. Please contact customer service or visit your nearest showroom for availability and prices.

Body Color





Water Blue



Aurora Silver

Blanc White

Obsidian Black





COMBINING ADVANTAGE OF FORTUNE 500 SUPPLIERS



Electric System
UAES
Buick FirstLand,Buick Lacrosse

2 Electric System DELPHI Buick Park Avenue

3 Steering Column Thyssen Krupp Buick Regal Chevrolet Malibu Volkswagen Tiguan 4 Instrument Desk and Interior Yanfeng Visteon Buick Regal, Chevrolet Malibu 5 Seat LEAR Buick FirstLand Buick Lacrosse

6 Air-condition SANDEN BEHR Buick Park Avenue Buick FirstLand

7 Dual Mass Flywheel SACHS Volkswagen Tiguan

Volkswagen Tiguan Buick Ragal 8 Transmission Shaft SDS Buick Park Avenue

> Buick Lacrosse Buick FirstLand

9 Gear Box 6AT Punch Powertrain Shock Absorber SACHS

Volkswagen Tiguan

Buick Lacrosse

Front And Rear Axle
Thyssen Krupp
Volkswagen Passat B5
Skoda Superb

Chassis Tuning MIRA Porsche ABS+EBD+BAS BOSCH

Buick Park Avenue Buick Lacrosse, Buick FirstLand Volkswagen Passat B5

15 Brake Assist and Power CONTINENTAL

BMW Z4 Benz GLK Jaguar XJ er 16 Exhaust System TENNECO

Ford focus
Opel Astra

17 Steering Engine

ZF Shanghai Steering Buick Lacrosse Chevrolet Malibu 18 Generator

Valeo Volkswagen Audi A6L BMW 5 series 19 Seat Belt

Yanfeng KSS Buick Park Avenue Buick Lacrosse



CARGO VAN





DIMENSION


Cargo Van (SWB/LWB)



2 Seats (2)



3 Seats (3)





2 Seats (2)




3 Seats (3)

SWB Low/Medium Roof



LWB Medium/High Roof





بوابة العربات موابق بالقين Babginaili Motors Gate

EXTERIOR



CARGO SPACE:

SWB CARGO SPACE: 7.8 M3 LWB CARGO SPACE: 10.8 M3 Practical Slide door makes goods transport and loading more convenient CARGO PAYLOAD: SWB CARGO PAYLOAD: 1200 KG LWB CARGO PAYLOAD: 1400 KG

Body Color







Aurora Silver

Lava Gray

Blanc White

PERFORMANCE & SAFETY



The vehicle is equipped with ABS + EBD + BAS and four-wheel brake system



Transmission: 6 Manual

Diesel Engine: 2.5 Turbo Diesel

Torque: 330 NM Power Hors: 134








DIMENSION

SWB Low/Medium Roof



LWB Medium/High Roof



Layout of Vehicle Seats

Mini Bus (SWB/LWB)



12 Seats (2+3+3+4)



16 Seats (3+3+3+3+4)

Body Color







Aurora Silver

Lava Gray

Blanc White



بوابة العربات من بالقين Babg بالقين Babg بوابة العربات من MOTORS GATE


INTERIOR & SAFETY



Spacious Interior



The most comprehensive active safety system



Electric side steps

SPECEFICATIONS

AAVIIS VOO CARGO VAN	& BUS SPECIFICATIONS	CARG	O VAN	V80	BUS
LIST-(GCC		CARGO SIZE	CARGO SIZE	12 SEATER	16 SEATER
2131-(000	VERSION)	LWB 10.8 CBM	SWB 7.8 CBM	SWB BUS	LWB BUS
	length/width/height (mm)	5700×19	98×2345	4950×1998×2345	5700×1998×234
	Wheelbase (mm)	3850	3100	3100	3850
	GVW	3500		3500	
Dimension & Wheelbase	Seats Layout	3		2+3+3+4	3+3+3+3+4
Difficusion & Wifeerbase	Payload	1200 kg	1400 kg		
	Rated power	100 kW /	330 n.m	100KW	/330Nm
	Horse Power	134	HP	134	HP
	Transmission type	61	1T	16	1T
Wheel Drive	Drive mode	FV	VD.	FV	VD
T	205/60R16 (Wanli)	215/7	'5R16	215/7	'5R16
Tyres	Wheel	Sto	eel	Al	loy
	Partition	YES		NA	
	sliding door	Sin	Single		gle
	Rear parking sensor	-	•	-	-
	Intelligent Anti-theft Security	•			
	System(IMMO)	•	•	•	• /
	ESP+EBA+HHC	•	•	•	• /
Exterior and Interior	Driver airbag	•	•	•	•
	Front passenger airbag	•	•	•	•
	Front fog lights	•	-	•	// ·
	Rear fog lights	•	•	•//	/
	Three-point seat belt for	•	•	•/	
	Front driver	•			
	Crystal-diamond Headlights	•		· / • /	• \/
	Radio+MP3+Bluetooth	•	/ •/		• X
	Front Air condition	Manual	Manual	Manual	Manual
	Rear Air condition	NA	NA	Manual	Manual
Technology and	Automatic Off Headlights	•		•	
entertainment	Central Lock	•	1	•	•
Circui tuillillinii	Electric Stepboard	-	// \-		$f \cdot \setminus$
	Cruise control		· \	- 7	-
	Auto Latch (20km/h)	• /	•	•/ \ ,	•
	TPMS	• /		• \	•

Note: "●" is standard configuration;/is none; "-" is optional

DISCLAIMERS *The mentioned information, specifications, prices and colors on this page may vary and subject to change without notice. Please contact customer service or visit your nearest showroom for availability and prices.





COMBINING ADVANTAGE OF FORTUNE 500 SUPPLIERS



Electric System UAES Buick FirstLand, Buick Lacrosse 2 Electric System **DELPHI** Buick Park Avenue

Brake assist and Power CONTINENTAL BMW Z4. Bugatti Veyron 2010,

Transmission Shaft SDS Buick Park Avenue, Buick Lacrosse,

Buick FirstLand

6 Exhaust System

TENNECO

Ford focus, Opel Astra

16 Seat LEAR Buick FirstLand, **Buick Lacrosse**

Benz GLK 2010, |aguar X| 2010

Gear Box WHYUNDAI WIA Chevrolet Malibu, Volkswagen Tiguan

17 Instrument Desk and Interior 18 Steering Column Yanfeng Visteon Buick Regal, Chevrolet Malibu

3 Seat Belt Yanfeng KSS Buick Park Avenue, Buick Lacrosse

8 ABS+EBD+BAS **BOSCH** Buick Park Avenue, Buick Lacrosse. Buick FirstLand, Volkswagen Passat B5

13 Shock Absorber SACHS Volkswagen Tiguan, Buick Lacrosse

> Thyssen Krupp Buick Regal,

Chevrolet Malibu.

Volkswagen Tiguan

14 Engine VM MOTORI.

MIRA

Land Rover Range Rover, Jeep Grand Cherokee

5 Steering Engine 4 Generator Valeo ZF Shanghai Steering Volkswagen Tiguan, Buick Lacrosse, Skoda Superb Chevrolet Malibu

Front And Rear Axle 9 Chassis Tuning Thyssen Krupp Volkswagen Passat B5, Junjie M2 Skoda Superb

> 15 Air-condition SANDEN BEHR Buick Park Avenue, Buick FirstLand





MAXUS V80 SERIES OF SPECIAL PURPOSE VEHICEL



VBD AMBULANCE



بوابة العربات من بالقين Babg بالقين Babg بوابة العربات من MOTORS GATE

EXTERIOR & INTERIOR



Overall layout



The most spacious back row space of its kind



Medical care bench, first aid box, glass fiber reinforced partition

Glass fiber reinforced suspended ceiling, IV injection hook, exhaust fans

3 Seats bench, automatic loading stretcher

SPECEFICATIONS

		Specification		
	Length (mm)	4950/5160	5700/5910	
Size	Width (mm)	1998		
	Height (mm)	2510	2715/2510/2480/2635	
Wheelbase (r	mm)	3100	3850	
Weight (Kg)	·	3800/3500/3200	3800/3500	
Maximum spe	eed (km/h)		160	
· ·	ssenger (persons)	4-7	4-9	
Tyre			6C 215/70R16C	
Fuel type			Diesel	
ruer type				
	Туре	,	nmon-rail diesel turbocharge, 1 technology originated from Italy	
	Displacement (ml)		2499	
	Rated power (Ps/rpm)	1	36/3800	
Power	Maximum torque (N·m/rpm)			
system	Transmission	330/2000~2800(National IV)/330/1800~2800(National V) 6MT/AMT		
-	Fuel consumption	61	TI/APTI	
	(at 60km/h)(L/100km)	5.4	6	
	Emission standard	Euro	IV/Euro V	
·		Major Configuration		
. Front foglig	ht	. Easy cleaning and sterilizing floor	. 220V output	
	ear high power A/C	. Ventilation system	. Medical waste bin	
. ABS+EBD+	BAS+four-wheel brake	. Automatic stretcher loading system	. Integrated glass fiber reinforced medical	
	lass fiber reinforced interior	. Medical cabin ceiling and rear lighting	equipment cabinet	
. MP3+Radio		. IV injection hook	. Glass fiber reinforced first-aid box	
. Reverse rad	lar	. UV sterilize light	. Aspirator	
. Professional	I ambulance appearance	. Whole vehicle safety handle bar	. Roof downlight	
	arm light controller	. Sliding door with step	. Side flash light	
	reinforced partition	. Double oxygen cylinder supplying system	. Rear light	
	vation window)	. Inverter system	. Glass fiber reinforced suspended ceiling	
	nurse bench	. Electric wire for external power input	(including alarm light and siren system)	
. Accompany	ing bench	. Medical cabin centralized control panel		
		Optional Configuration		
· Left-side slid	ding door	· Single swivel chair	· Vertebral fixing plate	
· Aluminum-a	-	· Soft stretcher	· Injection pump	
	body electric stablization system	· Foldable stretcher	· Hand sink system	
· Side push/pi		· Ozone generator	· Front and rear cabin intercom system	
· MPS+GPS		· Respirator	· Reverse impact	
· Electric hea	ted assembly, turning light	· Defibrillation pacing monitor	· GPS	
and rearviev		· Pulse blood oxygen saturation instrument	· Rear door assistance step	
· Airbag		· Heart compressing pump	· Long-bar alarm light and siren	
TD146 1	l pressure and wheel	· Cardiopulmonary resuscitation machine		

Notes: Only for reference, please refer to the real vehicle. Special requirements available.

This model can be converted to Armored Cash Carrier, Postal Vehicle, Engineering Vehicle, Inspection Vehicle, Investigation Vehicle, Moving Service Car, Transport Van, Campaign Vehicle, Command Car and so on.





POLICE VED VBD POLICE

EXTERIOR & INTERIOR



Police instrument storage + generator

All in one integrated control system



 \mathcal{O}



VBO

SPECEFICATIONS

	Specification					
	Length		5700/5910			
Dimension (mm)	Width		1998			
()	Height		2345/2580/2745/2905, 2580/2745/2905/3012/3112			
Wheelbase (mn	n)		3850			
GVW (kg)		3500				
Max.Speed (km/h)		150				
Seats		2-9				
Tire		Tire 215/75R16C 215/70R16C				
Fuel Type			Diesel			
Emission Standa	ard		Euro IV/Euro V			
	Displacement (ml)		2499			
Engine	Max. Power (kW)		100			
	Max.Torque (N.m)		330			
			Configuration			

Main Configuration

- · Police coating and marking identification
- · Warning light, alertor
- · Dark lamination Reversing camera

- · Genuine leather covered middle partition, rear partition
- · Rear air conditioning
- · Wooden floor
- · Alarm lamp and alarm controller

Optional Configuration


- · Dual-monitor at middle partition
- · Front operation table
- Police office system
- · Hard disc record system
- · Roof platform, ladder · 360° rotating deck with elevator lamp
- / High-speed camera
- · LED billboard

Notes: Only for reference, please refer to the real vehicle. Special requirements available.

- · 3G image transmission system
- · Centralized control switch · Walki-talki and charger
- · Storage battery charger
- · Floorlight
- Remote tracking system · Wire spool
- · Rear storage box · Rear generator system with guide rail
- - (circumscribed AC power supply)

- Genuine leather operator's seat with armrest
- / Police officer's seat
- · Side-door electric auxiliary stepping
- · Rear door auxiliary stepping
- · 220V power supply
- · Police broadcasting station







بوابة العربات من بالقين Babg بالقين Babg بوابة العربات من MOTORS GATE

EXTERIOR & INTERIOR



Police instrument storage + generator

Rear door handle



Steel glass grid guard

Front windshield steel grid guard

Headlights, alarm light, flashing lights with steel shield

SPECEFICATIONS

	Length	5700/5910/6090	
Dimension (mm)	Width	1998	
()	Height	2345/2605, 2552/2812	
Whee	lbase (mm)	3850	
G\	/W (kg)	3500	
Max.Speed (km/h)		150	
Seats		2-14	
	Tire	215/75R16C 215/70R16C	
Fu	el Type	Diesel	
Emissi	on Standard	Euro IV/Euro V	
	Model	SC25R136Q4	
Engine Displacement (ml)		2499	
	Power (kW)	100	

· Police coating and marking identification · Rear air conditioning · Warning light, alertor · Non-slippery floor

· Dark lamination · Window and lamp (including alertor), protective screening

· Reversing camera · Alarm lamp and alarm controller

Optional Configuration

· Rear seats (optional preposition/postposition)

· Combination of shelves and cabinets

- osition) Gun and shield cabinet • Hard disc recording device
- · Roof platform, ladder · Head located camera

- Roof handle (for standing)
 Fixed device immobilize instrument
- · Remote tracking system
- Rear door integral anti-collision stepping

· Ventilation escape windows

· Police broadcasting station

Only for reference, please refer to the real vehicle. Special requirements available. All above is applicable in China only. Changes may apply in other regions.





VED

VBD SCHOOL BUS

EXTERIOR & INTERIOR







بوابة العربات MOTORS GATE

PERFORMANCE

		Specification				
<u> </u>	Model	Kindle School Bus	Pupil School Bus	Student and Pupil School Bus		
	Seat capacity	20-21	10-22	10-14		
	Length * Width * Height		5700/5910 *1998 *2345			
	Wheelbase(mm)		3850			
Specification	GVW(kg)	3500				
	Max.speed(km/h)	80				
	Tire		215/75R16C 215/70R16C			
	Emission standard	Euro IV/Euro V				
	Fuel type		Diesel			
	Fuel Consumption(60km/h,L/100km)		6			
	Displacement(ml)		2499			
Engine	Power(kW)		100			
	Torque(N·m)	330				
		Configuration				
	Configuration		Standard	Comfortable		
	Yellow body coating for school bus		S	S		
	Body color bumper, door handle and plate frame		-	S		
	School Bus Exclusive Marking(Include Retroreflective Markings)		S	S		
	LED Screen and Warning Light Above Cabin		-	S		
Alarm	School Identification Light		S	S		
	Stop signal arm(5km/h Auto Fold)		S	S		
	Emergency Exit Unclosed Alarming		S	S		
	Emergency Exit and mark		S	S		
	Reverse Voice Alarming		S	S		
	Electric Front Windows		S	S		
	Clear Glass		S	-		
	Green Glass		-	S		
	Rear Air Conditioning and Heater		S	S		
	Integrated Electrically-heated Direction	Indicator & Exterior Mirror	-	S		
Convenience	Access Door Power Auxiliary Step		S	S		
	Central Lock		S	S		
	Foldable Remote Control Key(I piece)		-	S		
	Auto Latch(20km/h) and Ignition-off Au	to Unlock	S	S		
	Automatic Off Headlights		S	S		
	Rear Door Auxiliary Step		-	S		

	Configuration		
	Configuration	Standard	Comfortable
	Non-dead Zones Auxiliary Exterior Mirror	S	S
	Steel Wheel	S	-
	Alloy Wheel	-	S
	Tire Pressure Monitoring System(TPMS)	-	S
	Engine Extinguishing System	S	S
	ABS+EBD+BAS	S	S
	Intelligent Anti-theft Security System	S	S
	Driver Seat Airbags	S	S
	Driver Seat Pretightening Belt	S	S
Safe	Speed limiter(80km/h)	S	S
Sare	Pupil's seat with armrest on the aisle side, all seats safety belts	S	S
	Supervisor's Seat and Mark	S	S
	Safety Guardrails for Supervisor's Seat	S	S
	Handle for Access	S	S
	Emergency hammer with Anti-theft alarm and mark	S	\s/
	Non-slippery floor	S	\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
	Power Switch	S	\$ /
	Emergency Switch	S	/ S\ //
	Fire Extinguisher	S	S \ /
	First-aid kit	S	S
	Driving recorder(with GPS)	S	\
	MP5 + LED screen + visible reversing image + mandatory rear view alternation	S	S
Security	Front and Access Monitor	S	S \
Security	Rear Monitor	S	/ / S
	Monitor Cover All seats	S	\ \ \ \ S \ \
	Hard disc video record system	S	\ \ \ S

Notes: Only for reference, please refer to the real vehicle. Special requirements available.



AFTER SALES SERVICE & WARRANTY

WORRY - FREE AFTER SALES SERVICE:

Service commitments 100% genuine spare parts standardized and professional maintenance

Model	Valid for years or kilometers, whichever comes first	
	Years	Kilometers
V90	5	160 Km
V80	5	120 Km
GI0	3	120 Km
Tornado 60	3	I20 Km

